


ISSN 0034 - 365 X



2014 14 (1)

REINWARDTIA

A JOURNAL ON TAXONOMIC BOTANY, PLANT SOCIOLOGY AND ECOLOGY

Vol. 14(1): 1-248, December 23, 2014

Chief Editor

Kartini Kramadibrata (Mycologist, Herbarium Bogoriense, Indonesia)

Editors

Dedy Darnaedi (Taxonomist, Herbarium Bogoriense, Indonesia)
Tukirin Partomihardjo (Ecologist, Herbarium Bogoriense, Indonesia)
Joeni Setijo Rahajoe (Ecologist, Herbarium Bogoriense, Indonesia)
Marlina Ardiyani (Taxonomist, Herbarium Bogoriense, Indonesia)
Topik Hidayat (Taxonomist, Indonesia University of Education, Indonesia)
Eizi Suzuki (Ecologist, Kagoshima University, Japan)
Jun Wen (Taxonomist, Smithsonian Natural History Museum, USA)

Managing Editor

Himmah Rustiami (Taxonomist, Herbarium Bogoriense, Indonesia) Lulut Dwi Sulistyaningsih (Taxonomist, Herbarium Bogoriense, Indonesia) Secretary Endang Tri Utami

Layout Editor

Deden Sumirat Hidayat Medi Sutiyatno

Illustrators

Subari

Wahyudi Santoso

Anne Kusumawaty

Correspondence on editorial matters and subscriptions for Reinwardtia should be addressed to:

HERBARIUM BOGORIENSE, BOTANY DIVISION,

RESEARCH CENTER FOR BIOLOGY-INDONESIAN INSTITUTE OF SCIENCES

CIBINONG SCIENCE CENTER, JLN. RAYA JAKARTA - BOGOR KM 46,

CIBINONG 16911, P.O. Box 25 Cibinong

INDONESIA

PHONE (+62) 21 8765066; Fax (+62) 21 8765062

E-MAIL: reinwardtia@mail.lipi.go.id

	1		1		
2	3	3	4		
	4		4		

Cover images: 1. Begonia holosericeoides (female flower and habit) (Begoniaceae; Ardi et al.); 2. Abaxial cuticles of Alseodaphne rhododendropsis (Lauraceae; Nishida & van der Werff); 3. Dipodium puspitae, Dipodium purpureum (Orchidaceae; O'Byrne); 4. Agalmyla exannulata, Cyrtandra coccinea var. celebica, Codonoboea kjellbergii (Gesneriaceae; Kartonegoro & Potter).

The Editors would like to thanks all reviewers of volume 14(1):

Abdulrokhman Kartonegoro - Herbarium Bogoriense, Bogor, Indonesia Altafhusain B. Nadaf - University of Pune, Pune, India

Amy Y. Rossman - Systematic Mycology & Microbiology Laboratory USDA-ARS, Beltsville, USA Andre Schuiteman - Royal Botanic Gardens, Kew, UK

Ary P. Keim - Herbarium Bogoriense, Bogor, Indonesia

Barry Conn - Royal Botanic Gardens National Herbarium of New South Wales, Sydney, Australia Dato' Abdul Latiff Mohamad - Universiti Kebangsaan Malaysia, Bangi, Selangor, Malaysia

Daniel Potter - Department of Plant Sciences, University of California, Davis, California, USA

Deby Arifiani - Herbarium Bogoriense, Bogor, Indonesia

Ferry J. W. Slik - University of Brunei Darussalam, Brunei

Henti H. Rachmat - Conservation and Rehabilitation Research and Development Center, Bogor, Indonesia Ian M. Turner - Royal Botanic Gardens, Kew, UK

Iskandar Z. Siregar - Bogor Agricultural University, Bogor, Indonesia

Jay H. Bernstein - Kingsborough Community College, Brooklyn, New York, USA

Jens G. Rohwer - University of Hamburg, Hamburg, Germany

Joan Pereira - SAN Herbarium, Sabah Forestry Department, Sabah, Malaysia

Kuswata Kartawinata - Herbarium Bogoriense, Bogor, Indonesia

Lars H. Schmidt - University of Copenhagen, Copenhagen, Denmark

Mark Hughes - Royal Botanic Gardens, Edinburgh, UK

Masahiro Kato - Kyoto University, Kyoto, Japan

Nuril Hidayati - Herbarium Bogoriense, Bogor, Indonesia

Ong Poh Teck - Forest Research Institute Malaysia, Kepong, Malaysia

Peter C. van Welzen - National Herbarium Netherlands, Leiden University Branch, Leiden, Netherlands Reuben Nilus - Sabah Forestry Department, Sabah, Malaysia

Rugayah - Herbarium Bogoriense, Bogor, Indonesia

Ruth Kiew - Forest Research Institute of Malaysia, Kepong, Malaysia

Uwe Braun - Institut für Biologie Bereich Geobotanik und Botanischer Garten, Halle (Saale), Germany Yasuaki Sato - Osaka-Sangyo University, Osaka, Japan

A NEW COMBINATION IN OROPHEA (ANNONACEAE) FOR UVARIA NITIDA ROXB. EX G. DON

Received February 6, 2014; accepted August 25, 2014

IAN M. TURNER

Research Associate, Royal Botanic Gardens Kew, Richmond, Surrey, UK. E-mail: turner187@btinternet.com.

ABSTRACT

TURNER, I. M. 2014. A new combination in *Orophea* (Annonaceae) for *Uvaria nitida* Roxb. ex G. Don. *Reinwardtia* 14(1): 181 – 182. — The identity of *Uvaria nitida* Roxb. ex G.Don. (Annonaceae) has not been considered for 180 years. The plant is only known from material grown in the Calcutta Botanic Garden in India following introduction from, reportedly, the Moluccas. Examination of a specimen from the Brussels Herbarium, designated here as lectotype, indicates that the species is a member of *Orophea* subgenus *Sphaerocarpon*, similar to *Orophea gabra* Merr. A new combination in *Orophea* is made.

Key words: lectotype, new combination, Orophea glabra, Uvaria nitida, William Roxburgh.

ABSTRAK

TURNER, I. M. 2014. Kombinasi baru *Orophea* (Annonaceae) pada *Uvaria nitida* Roxb. ex G. Don. *Reinwardtia* 14 (1): 181 – 182. — Identitas dari *Uvaria nitida* Roxb. ex G. Don. (Annonaceae) masih belum jelas selama 180 tahun. Tumbuhan ini hanya diketahui dari material yang tumbuh di Kebun Raya Kalkuta di India dan diintroduksi di Maluku. Hasil pemeriksaan spesimen dari Herbarium Brussels dijadikan sebagai lektotipe, yang mengindikasikan bahwa jenis ini merupakan anggota dari *Orophea* submarga *Sphaerocarpon*, mirip dengan *Orophea gabra* Merr. Sebuah kombinasi baru pada *Orophea* telah dibuat.

Kata kunci: Kombinasi baru, lektotipe, Orophea glabra, Uvaria nitida, William Roxburgh.

INTRODUCTION

William Roxburgh, the father of Indian Botany, supervised much introduction of plants to the Botanic Garden of the East India Company in Calcutta. One such is a species that Roxburgh named Uvaria nitida. The earliest publication of the name by Roxburgh is in the Hortus Bengalensis (Roxburgh, 1814) but, other than the name, the sole piece of information supplied is that the plant was introduced to Calcutta from the Moluccas. Therefore the name is not validly published here. The publication of a description by Roxburgh was not achieved until the posthumous publication of his complete (except cryptogams) Flora Indica (Roxburgh, 1832). Here Roxburgh provides a very short description and again states that the plant came from the Moluccas. However, as happened with many Roxburgh taxa due to the delays in publication of the original Roxburgh works, the publication of this name was validated earlier - in this case by George Don in his A General History of the Dichlamydeous Plants. Don refers the name to a Roxburgh manuscript - presumably a manuscript copy of Flora Indica - and provides a brief description sufficient to validate the name. The only known specimen of Uvaria nitida is in

the Herbarium of the National Botanic Garden of Belgium (BR) (Forman, 1997). It was part of the herbarium of Martius who purchased a collection including Roxburgh specimens from the Linnean Society in London (Turner & Veldkamp, 2012). George Don may well have seen both the Roxburgh manuscript and herbarium specimens at the Linnean Society, where his brother David was the librarian. The *Uvaria nitida* specimen consists of a branchlet bearing several leafy twigs with the remains of some post-flowering inflorescences. It bears a small ticket labelled 'Uvaria nitida 2697', apparently in Roxburgh's own hand. There is also a Herbium Martii label bearing the name Uvaria nitida Roxb. The specimen clearly does not belong in *Uvaria* - there is no sign of stellate indumentum. To someone familiar with Asian Annonaceae the specimen has the look of a member of Orophea subgenus Sphaerocarpon (syn. Mezzettia Ridl.; Leonardía & Keßler, 2001), with the leaves drying brown and rather shiny and more or less glabrous. The rather congested remains of axillary inflorescences with very short, fine pedicels provides the closest match with Orophea glabra Merr., a species from the Philippines. However, the carpel number on the one flower remnant bearing any reproductive structures appears to be more than

six, the carpel number reported for *O. glabra* (Keßler, 1988). The Moluccas remain relatively poorly known botanically and it is possible that *O. glabra* extends southwards from the Philippines to eastern Indonesia. Alternatively, Roxburgh's introduction may have been wrongly localised or the plant have been first bought to the Moluccas (presumably Ambon) from elsewhere.

As noted on the specimen by Dr C. Meade, the plant is an *Orophea* and therefore a new combination is required for the name. This is provided below. I refrain from formally reducing *Orophea glabra* to a synonym of *O. nitida*, but note the strong similarity. Indonesian botanists are encouraged to look for *Orophea nitida* in their country in order to confirm its status.

Orophea nitida (Roxb. ex G. Don) Meade ex I. M. Turner, *comb. nov*.

Basionym: *Uvaria nitida* Roxb. ex G.Don, Gen. Hist. 1 (1831) 93. – Lectotype: [India, cultivated in East India Company Botanic Garden, Calcutta] *W. Roxburgh 2697* (holo: BR! (BR - S.P. 802 875) [image available at http://www.br.fgov.be/RESEARCH/COLLECTIONS/HERBARIUM/detail.php?ID=601526],designated here).

OROPHEA GLABRA Merr., Govt. Lab. Publ. Philipp. 29 (1905) 14. Lectotype: Philippines,

Masbate Province, Ticao Island, May-June 1904, *W.W. Clark Forestry Bureau no. 1017* (holo: NY, designated by Keßler (1990: 513); iso: BM, K!).

ACKNOWLEDGEMENT

The Curator of Vascular Plants (BR) kindly permitted the loan of the Roxburgh specimen.

REFERENCES

- FORMAN, L. L. 1997. Notes concerning the typification of names of William Roxburgh's species of phanerogams. *Kew Bulletin* 52: 513–534.
- KEßLER, P. J. A. 1988. Revision der Gattung *Orophea* Blume (Annonaceae). *Blumea* 33: 1–80.
- KEßLER, P. J. A. 1990. Studies on the tribe Saccopetalae (Annonaceae)—II Additions to the genus *Orophea* Blume. *Blumea* 34: 505–516.
- LEONARDÍA, A. A. P. & KEßLER, P. J. A. 2001. Additions to *Orophea* subgenus *Sphaerocarpon* (Annonaceae): revision and transfer of *Mezzettiopsis. Blumea* 46: 141–163.
- ROXBURGH, W. 1814. *Hortus bengalensis*. Mission Press, Serampore.
- ROXBURGH, W. 1832. *Flora indica*. (2nd edition), Volume 2. W. Thacker & Co., Calcutta.
- TURNER, I. M. & VELDKAMP, J. F. 2012. William Roxburgh's eye plant and its relevance in the nomenclature of *Phaeanthus* (Annonaceae). *Kew Bulletin* 66: 571–579.

INSTRUCTION TO AUTHORS

Scope. *Reinwardtia* is a scientific irregular journal on plant taxonomy, plant ecology and ethnobotany published in December. Manuscript intended for a publication should be written in English.

Titles. Titles should be brief, informative and followed by author's name and mailing address in one-paragraphed.

Abstract. English abstract followed by Indonesian abstract of not more than 250 words. Keywords should be given below each abstract.

Manuscript. Manuscript is original paper and represent an article which has not been published in any other journal or proceedings. The manuscript of no more than 200 pages by using Times New Roman 11, MS Word for Windows of A4 with double spacing, submitted to the editor through <reinwardtia@mail.lipi.go.id>. New paragraph should be indented in by 5 characters. For the style of presentation, authors should follow the latest issue of Reinwardtia very closely. Author(s) should send the preferred running title of the article submitted. Every manuscript will be sent to two blind reviewers.

Identification key. Taxonomic identification key should be prepared using the aligned couplet type.

Nomenclature. Strict adherence to the International Code of Botanical Nomenclature is observed, so that taxonomic and nomenclatural novelties should be clearly shown. English description for new taxon proposed should be provided and the herbaria where the type specimens area deposited should be presented. Name of taxon in taxonomic treatment should be presented in the long form that is name of taxon, author's name, year of publication, abbreviated journal or book title, volume, number and page.

Map/line drawing illustration/photograph. Map, line drawing illustration, or photograph preferably should be prepared in landscape presentation to occupy two columns. Illustration must be submitted as original art accompanying, but separated from the manuscript. The illustration should be saved in JPG or GIF format at least 350 pixels. Legends or illustration must be submitted separately at the end of the manuscript.

References. Bibliography, list of literature cited or references follow the Harvard system as the following examples.

Journal : KRAENZLIN, F. 1913. Cyrtandraceae novae Philippinenses I. Philipp. J. Sci. 8: 163-179.

MAYER, V., MOLLER, ML, PERRET, M. & WEBER, A. 2003. Phylogenetic position and generic differentiation of *Epithemateae (Gesneriaceae)* inferred from plastid DNA sequence data. *American J. Bot.* 90: 321-329.

Proceedings :TEMU, S. T. 1995. Peranan tumbuhan dan ternak dalam upacara adat "Djoka Dju" pada suku Lio, Ende, Flores, Nusa Tenggara Timur. In: NASUTION, E. (Ed.). Presiding Seminar dan Lokakarya Nasional Etnobotani II. LIP1 & Perpustakaan Nasional: 263-268. (In Indonesian).

SIMBOLON, H. & MIRMANTO, E. 2000. Checklist of plant species in the peat swamp forests of Central Kalimantan, Indonesia. In: IWAKUMA *et al.* (Eds.) Proceedings of the International Symposium on: Tropical Peatlands. Pp. 179-190.

Book: RIDLEY, H. N. 1923. Flora of the Malay Peninsula 2. L. Reeve & Co. Ltd, London.

Part of Book : BENTHAM, G. 1876. Gesneriaceae. In: BENTHAM, G. & HOOKER, J. D. Genera plantarum 2. Lovell Reeve & Co., London. Pp. 990-1025.

Thesis : BAIRD, L. 2002. A Grammar of Kėo: An Austronesian language of East Nusantara. Australian National University, Canberra. [PhD. Thesis].

Website: http://www.nationaalherbarium.n1/fmcollectors/k/Kostermans AJGH.htm). Accessed 15 February 2012.



Reinwardtia

Published by Herbarium Bogoriense, Botany Division, Research Center for Biology, Indonesian Institute of Sciences

Address: Jin. Raya Jakarta-Bogor Km. 46 Cibinong 16911, P.O. Box 25 Cibinong

Telp. (+ 62) 21 8765066; Fax (+62) 21 8765062

E-mail: reinwardtia@mail.lipi.go.id

REINWARDTIA Author Agreement Form

Title of article :				
Name of Author(s):				
 I/We hereby declare that: My/Our manuscript was based on my/ou It was not published or submitted to other I/we agree to publish my/our manuscript We have obtained written permission is works that are included and have credited 	er journal and the confrom cop	for publication. opyright of this a yright owners f	for any excerp	
Author signature (s)		Date		
Name				

MUHAMMAD EFFENDI, TATIK CHIKMAWATI & DEDY DARNAEDI. New cytotypes of <i>Pteris ensiformis</i> var. <i>victoria</i> fr Indonesia	
SUZANA SABRAN, REUBEN NILUS, JOAN T. PEREIRA & JOHN BAPTIST SUGAU. Contribution of the heart of Born (HoB) initiative towards botanical exploration in Sabah, Malaysia.	
WENNI SETYO LESTARI, BAYU ADJIE, TASSANAI JARUWATANAPHAN, YASUYUKI WATANO & MADE PHA MAWATI. Molecular phylogeny of maidenhair fern genus <i>Adiantum</i> (Pteridaceae) from Lesser Sunda Islands, Indonesia based <i>Rbcl and Trnl-f</i>	on
ELIZABETH A. WIDJAJA & DANIEL POTTER. Floristic study of Mekongga Protected Forest: towards establishment of Mekongga National Park	
YESSI SANTIKA, EKA FATMAWATI TIHURUA & TEGUH TRIONO. Comparative leaves anatomy of <i>Pandanus, Freycine</i> and <i>Sararanga</i> (Pandanaceae) and their diagnostic value.	
SUHARDJONO PRAWIROATMODJO & KUSWATA KARTAWINATA. Floristic diversity and structural characteristics mangrove forest of Raj a Ampat, West Papua, Indonesia.	
IAN M. TURNER. A new combination in <i>Orophea</i> (Annonaceae) for <i>Uvaria nitida</i> Roxb. ex G. Don.	181
IVAN S AVINOV. Taxonomic revision of Asian genus Glyptopetalum Thwaites (Celastraceae R. Br.)	83
YUSI ROSALINA, NISYAWATL ERWIN NURDIN, JATNA SUPRIATNA & KUSWATA KARTAWINATA. Floristic compatition and structure of a peat swamp forest in the conservation area of the PT National Sago Prima, Selat Panjang, Riau, Indonsia.	ne-
IMAN HID AY AT & JAMJAN MEEBOON. Cercospora brunfelsiicola (Fungi, Mycosphaerellaceae), a new tropical Cercospora fungus on Brunfelsia uniflora.	
MAX VAN BALGOOY & ELIZABETH A. WIDJAJA. Flora of Bali: a provisional checklist	19
EKA FATMAWATI TIHURUA & INA ERLINAWATI. Leaf anatomy of <i>Pandanus</i> spp. (Pandanceae) from Sebangau and Bu Baka-Bukit Raya National Park, Kalimantan, Indonesia	
JULIA SANG & RUTH KIEW. Diversity of Begonia (Begoniaceae) in Borneo - How many species are there?23	3
DIAN LATIFAH, ROBERT A. CONGDON & JOSEPH A. HOLTUM. A Physiological approach to conservation of four paspecies: Arenga australasica, Calamus australis, Hydriastele wendlandiana saALicuala ramsayi	

REINWARDTIA Vol. 14. No. 1.2014 CONTENTS Page

ABDULROKHMAN KARTONEGORO & DANIEL POTTER. The Gesneriaceae of Sulawesi VI: the species from Mekongga Mts. with a new species of <i>Cyrtandra</i> described
LIM CHUNG LU & RUTH KIEW. Codonoboea (Gesneriaceae) sections in Peninsular Malaysia
WISNU H. ARDI, YAYAN W. C. KUSUMA, CARL E. LEWIS, ROSNIATI A. RISNA, HARRY WIRIADINATA, MELISSA E. ABDO & DANIEL C. THOMAS. Studies on <i>Begonia</i> (Begoniaceae) of the Molucca Islands I: Two new species from Halmahera, Indonesia, and an updated description of <i>Begonia holosericea</i> 19
YUZAMMI, JOKO R. WITONO & WILBERT L. A. HETTERSCHEID. Conservation status of <i>Amorphophallus discophorus</i> Backer & Alderw. (Araceae) in Java, Indonesia
MOHAMMAD F. ROYYANI & JOENI S. RAHAJOE. Behind the sacred tree: local people and their natural resources sustainability
FIFI GUS DWIYANTI, KOICHI KAMIYA & KO HARADA. Phylogeographic structure of the commercially important tropical tree species, <i>Dryobalanops aromatica</i> Gaertn. F. (Dipterocarpaceae) revealed by microsatellite markers
SACHIKO NISHIDA & HENK VAN DER WERFF. Do cuticle characters support the recognition of <i>Alseodaphne, Nothaphoebe</i> and <i>Dehaasia</i> as distinct genera?
NURUL AMAL LATIFF, RAHAYU SUKMARIA SUKRI & FAIZAH METALI. Nepenthes diversity and abundance in five habitats in Brunei Damssalam
NURUL HAZLINA ZATNI & RAHAYU SUKMARIA SUKRI. The diversity and abundance of ground herbs in lowland mixed Dipterocarp forest and heath forest in Brunei Darussalam
MUHAMMAD AMIRUL AIMAN AHMAD JUHARI, NORATNI TALIP, CHE NURUL ATNI CHE AMRI & MOHAMAD RUZI ABDUL RAHMAN. Trichomes morphology of petals in some species of Acanthaceae
DIAN ROSLEINE, EIZI SUZUKI, ATIH SUNDAWIATI, WARDI SEPTIANA & DESY EKAWATI. The effect of land use history on natural forest rehabilitation at corridor area of Gunung Halimun Salak National Park, West Java, Indonesia
JULIUS KULIP. The Ethnobotany of the Dusun people in Tikolod village, Tambunan district, Sabah, Malaysia
PETER O'BYRNE. On the evolution of <i>Dipodium R. Br.</i>

Reinwardtia is a LIPI accredited Journal (517/AU2/P2MI-LIPI/04/2013)

Herbarium Bogoriense Botany Division Research Center for Biology - Indonesian Institute of Sciences Cibinong Science Center Jln. Raya Jakarta - Bogor, Km 46 Cibinong 16911, P.O. Box 25 Cibinong Indonesia